

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	Bayesian and jury	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:35
L2	0	Bayesian and jury adj pool	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:35
L3	0	Bayesian and jury and demographic	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:36
L4	4	Bayesian and jury and database	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:36
L5	3	Bayesian and jury and customer	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:36
L6	2	Bayesian and jury and client	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:37
L7	1	Bayesian and jury adj selection	US-PGPUB; USPAT	OR	OFF	2004/12/23 12:37



Membership Publications/Services Standards Conferences Careers/Jobs



Welcome
United States Patent and Trademark Office



Help FAQ Terms IEEE Peer Review

Quick Links

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

[Print Format](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC](#)
[Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used bayesian and jury and database

Found 3,482 of 148,162

Sort results
by

 Save results to a Binder

[Try an Advanced Search](#)
Display
results

 Search Tips

[Try this search in The ACM Guide](#)
 Open results in a new
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 A graphical model for protein secondary structure prediction

Wei Chu, Zoubin Ghahramani, David L. Wild

July 2004 **Twenty-first international conference on Machine learning**Full text available: [pdf\(366.19 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper, we present a graphical model for protein secondary structure prediction. This model extends segmental semi-Markov models (SSMM) to exploit multiple sequence alignment profiles which contain information from evolutionarily related sequences. A novel parameterized model is proposed as the likelihood function for the SSMM to capture the segmental conformation. By incorporating the information from long range interactions in β -sheets, this model is capable of carrying out inference ...

2 The interaction of knowledge sources in word sense disambiguation

Mark Stevenson, Yorick Wilks

September 2001 **Computational Linguistics**, Volume 27 Issue 3Full text available: [pdf\(2.16 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)
[Publisher Site](#)

Word sense disambiguation (WSD) is a computational linguistics task likely to benefit from the tradition of combining different knowledge sources in artificial intelligence research. An important step in the exploration of this hypothesis is to determine which linguistic knowledge sources are most useful and whether their combination leads to improved results. We present a sense tagger which uses several knowledge sources. Tested accuracy exceeds 94% on our evaluation corpus. Our system attempts ...

3 Research track posters: Privacy-preserving Bayesian network structure computation on distributed heterogeneous data

Rebecca Wright, Zhiqiang Yang

August 2004 **Proceedings of the 2004 ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available: [pdf\(217.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As more and more activities are carried out using computers and computer networks, the amount of potentially sensitive data stored by business, governments, and other parties increases. Different parties may wish to benefit from cooperative use of their data, but privacy regulations and other privacy concerns may prevent the parties from sharing their data. Privacy-preserving data mining provides a solution by creating distributed data mining algorithms in which the underlying data is not revealed ...

Keywords: Bayesian network, distributed databases, privacy-preserving data mining

4 [KDD-99 conference reports: Profiling your customers using Bayesian networks](#) 

Paola Sebastiani, Marco Ramoni, Alexander Crea

January 2000 **ACM SIGKDD Explorations Newsletter**, Volume 1 Issue 2

Full text available:  [pdf\(1.22 MB\)](#) Additional Information: [full citation](#), [abstract](#)

This report describes a complete Knowledge Discovery session using Bayesware Discoverer, a program for the induction of Bayesian networks from incomplete data. We build two causal models to help an American Charitable Organization understand the characteristics of respondents to direct mail fund raising campaigns. The first model is a Bayesian network induced from the database of 96,376 Lapsed donors to the June '97 renewal mailing. The network describes the dependency of the probability of resp ...

Keywords: Bayesian networks, customer profiling, missing data

5 [Web search 1: Searching web databases by structuring keyword-based queries](#) 

Pável Calado, Altigran S. da Silva, Rodrigo C. Vieira, Alberto H. F. Laender, Berthier A. Ribeiro-Neto

November 2002 **Proceedings of the eleventh international conference on Information and knowledge management**

Full text available:  [pdf\(204.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

On-line information services have become widespread in the Web nowadays. However, Web users are non-specialized and have a great variety of interests. Thus, interfaces for Web databases must be simple and uniform. In this paper we present an approach, based on Bayesian networks, for querying Web databases using keywords only. According to this approach, the user inputs a query through a simple search-box interface. From the input query, one or more plausible structured queries are derived and su ...

Keywords: query structuring, structured queries, web databases

6 [Poster: Bayesian face recognition using Gabor features](#) 

Xiaogang Wang, Xiaoou Tang

November 2003 **Proceedings of the 2003 ACM SIGMM workshop on Biometrics methods and applications**

Full text available:  [pdf\(512.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we propose a new face recognition approach combining a Bayesian probabilistic model and Gabor filter responses. Since both the Bayesian algorithm and the Gabor features can reduce intrapersonal variation through different mechanisms, we integrate the two methods to take full advantage of both approaches. The efficacy of the new method is demonstrated by the experiments on 1180 face images from the XM2VTS database and 1260 face images from the AR database.

Keywords: Bayesian analysis, Gabor Wavelet, face recognition

7 [Poster papers: Mining complex models from arbitrarily large databases in constant time](#) 

Geoff Hulten, Pedro Domingos

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(853.58 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper we propose a scaling-up method that is applicable to essentially any induction algorithm based on discrete search. The result of applying the method to an algorithm is that its running time becomes independent of the size of the database, while the decisions made are essentially identical to those that would be made given infinite data. The method works within pre-specified memory limits and, as long as the data is iid, only requires accessing it sequentially. It gives anytime resu ...

Keywords: Bayesian networks, Hoeffding bounds, discrete search, scalable learning algorithms, subsampling

8 A Bayesian decision model for cost optimal record matching 

V. S. Verykios, G. V. Moustakides, M. G. Elfeky

May 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 12 Issue 1

Full text available:  pdf(180.87 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

In an error-free system with perfectly clean data, the construction of a global view of the data consists of linking - in relational terms, joining - two or more tables on their key fields. Unfortunately, most of the time, these data are neither carefully controlled for quality nor necessarily defined commonly across different data sources. As a result, the creation of such a global data view resorts to approximate joins. In this paper, an optimal solution is proposed for the matching or the lin ...

Keywords: Cost optimal statistical model, Data cleaning, Record linkage

9 Task clustering and gating for bayesian multitask learning 

Bart Bakker, Tom Heskes

December 2003 **The Journal of Machine Learning Research**, Volume 4

Full text available:  pdf(229.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Modeling a collection of similar regression or classification tasks can be improved by making the tasks 'learn from each other'. In machine learning, this subject is approached through 'multitask learning', where parallel tasks are modeled as multiple outputs of the same network. In multilevel analysis this is generally implemented through the mixed-effects linear model where a distinction is made between 'fixed effects', which are the same for all tasks, and 'random effects', which may vary bet ...

10 Research track papers: Interestingness of frequent itemsets using Bayesian networks as background knowledge 

Szymon Jaroszewicz, Dan A. Simovici

August 2004 **Proceedings of the 2004 ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(191.90 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The paper presents a method for pruning frequent itemsets based on background knowledge represented by a Bayesian network. The interestingness of an itemset is defined as the absolute difference between its support estimated from data and from the Bayesian network. Efficient algorithms are presented for finding interestingness of a collection of frequent itemsets, and for finding all attribute sets with a given minimum interestingness. Practical usefulness of the algorithms and their efficiency ...

Keyw rds: Bayesian network, association rule, background, frequent itemset, interestingness, knowledge

11 Industry track papers: On the potential of domain literature for clustering and Bayesian network learning 

Peter Antal, Patrick Glenisson, Geert Fannes

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(1.10 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Thanks to its increasing availability, electronic literature can now be a major source of information when developing complex statistical models where data is scarce or contains much noise. This raises the question of how to integrate information from domain literature with statistical data. Because quantifying similarities or dependencies between variables is a basic building block in knowledge discovery, we consider here the following question. Which vector representations of text and which st ...

Keywords: Bayesian networks, clustering, data mining, text mining

12 Research track papers: A Bayesian network framework for reject inference 

Andrew Smith, Charles Elkan

August 2004 **Proceedings of the 2004 ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(201.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Most learning methods assume that the training set is drawn randomly from the population to which the learned model is to be applied. However in many applications this assumption is invalid. For example, lending institutions create models of who is likely to repay a loan from training sets consisting of people in their records to whom loans were given in the past; however, the institution approved loan applications previously based on who was thought unlikely to default. Learning from only appro ...

Keywords: Bayesian networks, Heckman estimator, expectation-maximization, propensity scores, reject inference, sample selection bias

13 Posters: Combining speech and haptics for intuitive and efficient navigation through image databases 

Thomas Käster, Michael Pfeiffer, Christian Bauckhage

November 2003 **Proceedings of the 5th international conference on Multimodal interfaces**

Full text available:  pdf(239.65 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Given the size of todays professional image databases, the standard approach to object- or theme-related image retrieval is to interactively navigate through the content. But as most users of such databases are designers or artists who do not have a technical background, navigation interfaces must be intuitive to use and easy to learn. This paper reports on efforts towards this goal. We present a system for intuitive image retrieval that features different modalities for interaction. Apart f ...

Keyw rds: content-based image retrieval, fusion of haptics, multimodal interface evaluation, speech, vision processing

14 Context-specific Bayesian clustering for gene expression data

Yoseph Barash, Nir Friedman

April 2001 **Proceedings of the fifth annual international conference on Computational biology**Full text available:  [pdf\(233.32 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The recent growth in genomic data and measurement of genome-wide expression patterns allows to examine gene regulation by transcription factors using computational tools. In this work, we present a class of mathematical models that help in understanding the connections between transcription factors and functional classes of genes based on genetic and genomic data. These models represent the joint distribution of transcription factor binding sites and of expression levels of a gene in a single ...

15 Classification and browsing: Structuring keyword-based queries for web databases

Rodrigo C. Vieira, Pavel Calado, Altigran S. da Silva, Alberto H. F. Laender, Berthier A. Ribeiro-Neto

July 2002 **Proceedings of the 2nd ACM/IEEE-CS joint conference on Digital libraries**Full text available:  [pdf\(116.95 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a framework, based on Bayesian belief networks, for querying Web databases using keywords only. According to this framework, the user inputs a query through a simple search-box. From the input query, one or more plausible structured queries are derived and submitted to Web databases. The results are then retrieved and presented to the user as ranked answers. To evaluate our framework, an experiment using 38 example queries was carried out. We found out that 97% of the time, ...

Keywords: bayesian belief networks, web databases, web query

16 Scalable algorithms for mining large databases

Rajeev Rastogi, Kyuseok Shim

August 1999 **Tutorial notes of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  [pdf\(4.11 MB\)](#)Additional Information: [full citation](#), [references](#), [index terms](#)**17 Special issue on the fusion of domain knowledge with data for decision support: Fusion of domain knowledge with data for structural learning in object oriented domains**

Helge Langseth, Thomas D. Nielsen

December 2003 **The Journal of Machine Learning Research**, Volume 4Full text available:  [pdf\(227.18 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

When constructing a Bayesian network, it can be advantageous to employ structural learning algorithms to combine knowledge captured in databases with prior information provided by domain experts. Unfortunately, conventional learning algorithms do not easily incorporate prior information, if this information is too vague to be encoded as properties that are local to families of variables. For instance, conventional algorithms do not exploit prior information about repetitive structures, which are ...

18 Selectivity estimation using probabilistic models

Lise Getoor, Benjamin Taskar, Daphne Koller

May 2001 **ACM SIGMOD Record, Proceedings of the 2001 ACM SIGMOD international conference on Management of data**, Volume 30 Issue 2

Full text available:

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

[pdf\(525.74 KB\)](#)[terms](#)

Estimating the result size of complex queries that involve selection on multiple attributes and the join of several relations is a difficult but fundamental task in database query processing. It arises in cost-based query optimization, query profiling, and approximate query answering. In this paper, we show how probabilistic graphical models can be effectively used for this task as an accurate and compact approximation of the joint frequency distribution of multiple attributes across multiple ...

19 [Queries and aggregation: Cleaning and querying noisy sensors](#)

Eiman Elnahrawy, Badri Nath

September 2003 **Proceedings of the 2nd ACM international conference on Wireless sensor networks and applications**

Full text available: [pdf\(256.08 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Sensor networks have become an important source of data with numerous applications in monitoring various real-life phenomena as well as industrial applications and traffic control. Unfortunately, sensor data is subject to several sources of errors such as noise from external sources, hardware noise, inaccuracies and imprecision, and various environmental effects. Such errors may seriously impact the answer to any query posed to the sensors. In particular, they may yield imprecise or even incorre ...

Keywords: bayesian theory, noisy sensors, query evaluation, statistics, uncertainty, wireless sensor networks

20 [Scalable feature selection, classification and signature generation for organizing large text databases into hierarchical topic taxonomies](#)

Soumen Chakrabarti, Byron Dom, Rakesh Agrawal, Prabhakar Raghavan

August 1998 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 7 Issue 3

Full text available: [pdf\(281.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

We explore how to organize large text databases hierarchically by topic to aid better searching, browsing and filtering. Many corpora, such as internet directories, digital libraries, and patent databases are manually organized into topic hierarchies, also called *taxonomies*. Similar to indices for relational data, taxonomies make search and access more efficient. However, the exponential growth in the volume of on-line textual information makes it nearly impossible to maintain such taxono ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

24 Knowledge discovery in databases: tools and techniques

Peggy Wright

November 1998 **Cr ssr ads**, Volume 5 Issue 2Full text available:  [html\(28.84 KB\)](#) Additional Information: [full citation](#), [index terms](#)**25 Learning Bayesian classification rules through genetic algorithms**

Christoph F. Eick, Daw Jong

December 1993 **Proceedings of the second international conference on Information and knowledge management**Full text available:  [pdf\(848.77 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)**26 Reports from KDD-2001: KDD Cup 2001 report**

Jie Cheng, Christos Hatzis, Hisashi Hayashi, Mark-A. Krogel, Shinichi Morishita, David Page, Jun Sese

January 2002 **ACM SIGKDD Explorations Newsletter**, Volume 3 Issue 2Full text available:  [pdf\(1.96 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents results and lessons from KDD Cup 2001. KDD Cup 2001 focused on mining biological databases. It involved three cutting-edge tasks related to drug design and genomics.

Keywords: Competition, biology, drug design, genomics**27 Automatically structured and translated queries: The effectiveness of automatically structured queries in digital libraries**

Marcos André Gonçalves, Edward A. Fox, Aaron Krowne, Pável Calado, Alberto H. F. Laender, Altigran S. da Silva, Berthier Ribeiro-Neto

June 2004

Full text available:  [pdf\(295.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Structured or fielded metadata is the basis for many digital library services, including searching and browsing. Yet, little is known about the impact of using structure on the effectiveness of such services. In this paper, we investigate a key research question: do structured queries improve effectiveness in DL searching? To answer this question, we empirically compared the use of unstructured queries to the use of structured queries. We then tested the capability of a simple Bayesian network s ...

Keywords: bayesian networks, digital libraries, structured queries**28 Tutorial database mining**

Rakesh Agrawal

May 1994 **Proceedings of the thirteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems**Full text available:  [pdf\(123.97 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We view database mining as the efficient construction and verification of models of patterns embedded in large databases. Many of the database mining problems have been motivated by the practical decision support problems faced by most large retail organizations. In the Quest project at the IBM Almaden Research center, we have focussed on three classes of

database mining problems involving classification, associations, and sequences. In this tutorial, I will draw upon my Quest experience to ...

29 The true lift model: a novel data mining approach to response modeling in database marketing

Victor S. Y. Lo

December 2002 **ACM SIGKDD Explorations Newsletter**, Volume 4 Issue 2

Full text available:  [pdf\(119.81 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In database marketing, data mining has been used extensively to find the optimal customer targets so as to maximize return on investment. In particular, using marketing campaign data, models are typically developed to identify characteristics of customers who are most likely to respond. While these models are helpful in identifying the likely responders, they may be targeting customers who have decided to take the desirable action or not regardless of whether they receive the campaign contact (e ...

Keywords: customer development, customer relationship management, data mining, database marketing, interaction effect, knowledge discovery, predictive modeling, response modeling, treatment effect, true lift, upselling and cross-selling

30 The psychology of multimedia databases

Mark G. L. M. van Doorn, Arjen P. de Vries

June 2000 **Proceedings of the fifth ACM conference on Digital libraries**

Full text available:  [pdf\(1.43 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Multimedia information retrieval in digital libraries is a difficult task for computers in general. Humans on the other hand are experts in perception, concept representation, knowledge organization and memory retrieval. Cognitive psychology and science describe how cognition works in humans, but can offer valuable clues to information retrieval researchers as well. Cognitive psychologists view the human mind as a general-purpose symbol-processing system that interacts with the ...

Keywords: Marr's theory of perception, Paivio's dual coding theory, cognitive psychology and information retrieval, user and domain knowledge in query formulation

31 Accepted Posters: Information filtering using bayesian networks: effective user interfaces for aviation weather data

Corinne Clinton Ruokangas, Ole J. Mengshoel

January 2003 **Proceedings of the 8th international conference on Intelligent user interfaces**

Full text available:  [pdf\(1.09 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Weather is a complex, dynamic process with tremendous impact on aviation. While pilots often have access to large amounts of aviation weather data, they find it difficult and time-consuming to identify weather hazards, due to the sheer amount and cryptic formatting of the data. To address this challenge, we have developed information filtering concepts based on a unified Bayesian network model, integrating text and graphical weather data in the context of specific mission, equipment and personal ...

Keywords: bayesian models, bayesian networks, data filtering, information management, intelligent visualization, situation awareness

32 A Bayesian approach toward active learning for collaborative filtering

Rong Jin, Luo Si

July 2004 **Proceedings of the 20th conference on Uncertainty in artificial intelligence**Full text available:  pdf(378.07 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Collaborative filtering is a useful technique for exploiting the preference patterns of a group of users to predict the utility of items for the active user. In general, the performance of collaborative filtering depends on the number of rated examples given by the active user. The more the number of rated examples given by the active user, the more accurate the predicted ratings will be. Active learning provides an effective way to acquire the most informative rated examples from active user ...

33 Video retrieval: Semi-supervised learning for facial expression recognition

Ira Cohen, Nicu Sebe, Fabio G. Cozman, Thomas S. Huang

November 2003 **Proceedings of the 5th ACM SIGMM international workshop on Multimedia information retrieval**Full text available:  pdf(341.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Automatic classification by machines is one of the basic tasks required in any pattern recognition and human computer interaction applications. In this paper, we discuss training probabilistic classifiers with labeled and unlabeled data. We provide an analysis which shows under what conditions unlabeled data can be used in learning to improve classification performance. We discuss the implications of this analysis to a specific type of probabilistic classifiers, Bayesian networks, and propose a ...

Keywords: Bayesian networks, facial expression recognition, semi-supervised learning

34 Optimal sample cost residues for differential database batch query problems

Dan E. Willard

January 1991 **Journal of the ACM (JACM)**, Volume 38 Issue 1Full text available:  pdf(1.09 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

In many computing applications, there are several equivalent algorithms capable of performing a particular task, and no one is the most efficient under all statistical distributions of the data. In such contexts, a good heuristic is to take a sample of the database and use it to guess which procedure is likely to be the most efficient. This paper defines the very general notion of a differentiable query problem and shows that the ideal sample size for guessing the optimal choice of algorithm ...

Keywords: databases, sampling

35 Analysis methodology: Simulation of large networks: propagation of uncertainty in a simulation-based maritime risk assessment model utilizing Bayesian simulation techniquesJason R. W. Merrick, Varun Dinesh, Amita Singh, J. René van Dorp, Thomas A. Mazzuchi December 2003 **Proceedings of the 35th conference on Winter simulation: driving innovation**Full text available:  pdf(606.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Recent studies in the assessment of risk in maritime transportation systems have used simulation-based probabilistic techniques. Amongst them are the San Francisco Bay (SFB) Ferry exposure assessment in 2002, the Washington State Ferry (WFS) Risk Assessment in 1998 and the Prince William Sound (PWS) Risk Assessment in 1996. Representing uncertainty in such simulation models is fundamental to quantifying system risk. This paper

illustrates the representation of uncertainty in simulation using ...

36 Applying general Bayesian techniques to improve TAN induction

Jesús Cerquides

August 1999 **Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available: [pdf\(515.13 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

37 Content-based filtering & collaborative filtering: A nonparametric hierarchical bayesian framework for information filtering

Kai Yu, Volker Tresp, Shipeng Yu

July 2004 **Proceedings of the 27th annual international conference on Research and development in information retrieval**

Full text available: [pdf\(425.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Information filtering has made considerable progress in recent years. The predominant approaches are content-based methods and collaborative methods. Researchers have largely concentrated on either of the two approaches since a principled unifying framework is still lacking. This paper suggests that both approaches can be combined under a *hierarchical Bayesian framework*. Individual content-based user profiles are generated and collaboration between various user models is achieved via a co ...

Keywords: collaborative filtering, content-based filtering, dirichlet process, nonparametric bayesian modelling

38 Probabilistic object bases

Thomas Eiter, James J. Lu, Thomas Lukasiewicz, V. S. Subrahmanian

September 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 3

Full text available: [pdf\(663.73 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Although there are many applications where an object-oriented data model is a good way of representing and querying data, current object database systems are unable to handle objects whose attributes are uncertain. In this article, we extend previous work by Kornatzky and Shimony to develop an algebra to handle object bases with uncertainty. We propose concepts of consistency for such object bases, together with an NP-completeness result, and classes of probabilistic object bases for which consi ...

Keywords: Consistency, object-oriented database, probabilistic object algebra, probabilistic object base, probability, query language, query optimization

39 A retrieval model incorporating hypertext links

W. B. Croft, H. Turtle

November 1989 **Proceedings of the second annual ACM conference on Hypertext**

Full text available: [pdf\(769.84 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

40 Propositional and relational Bayesian networks associated with imprecise and qualitative probabilistic assessments

Fabio Gagliardi Cozman, Cassio Polpo de Campos, Jaime Shinsuke Ide, José Carlos Ferreira da Rocha

July 2004 **Proceedings of the 20th conference on Uncertainty in artificial intelligence**

Full text available:  [pdf\(340.75 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper investigates a representation language with flexibility inspired by probabilistic logic and compactness inspired by relational Bayesian networks. The goal is to handle propositional and first-order constructs together with precise, imprecise, indeterminate and qualitative probabilistic assessments. The paper shows how this can be achieved through the theory of credal networks. New exact and approximate inference algorithms based on multilinear programming and iterated/loopy propaga ...

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

PORTAL
US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login
Search: The ACM Digital Library The Guide
bayesian and jury and database

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used bayesian and jury and database

Found 3,482 of 148,162

Sort results by [Save results to a Binder](#)
 Display results [Search Tips](#)
 [Open results in a new window](#)

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 41 - 60 of 200 Result page: [previous](#) [1](#) [2](#) **3** [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale **41** Pac-bayesian generalisation error bounds for gaussian process classification 

Matthias Seeger

March 2003 **The Journal of Machine Learning Research**, Volume 3Full text available:  [pdf\(487.11 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Approximate Bayesian Gaussian process (GP) classification techniques are powerful non-parametric learning methods, similar in appearance and performance to support vector machines. Based on simple probabilistic models, they render interpretable results and can be embedded in Bayesian frameworks for model selection, feature selection, etc. In this paper, by applying the PAC-Bayesian theorem of McAllester (1999a), we prove distribution-free generalisation error bounds for a wide range of approxima ...

Keywords: Bayesian learning, Gaussian processes, Gibbs classifier, Kernel machines, PAC-Bayesian framework, convex duality, generalisation error bounds, sparse approximations

42 Learning equivalence classes of bayesian-network structures 

David Maxwell Chickering

March 2002 **The Journal of Machine Learning Research**, Volume 2Full text available:  [pdf\(442.83 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Two Bayesian-network structures are said to be ` equivalent` if the set of distributions that can be represented with one of those structures is identical to the set of distributions that can be represented with the other. Many scoring criteria that are used to learn Bayesian-network structures from data are ` score equivalent`; that is, these criteria do not distinguish among networks that are equivalent. In this paper, we consider using a score equivalent ...

43 A hierarchical access control model for video database systems 

Elisa Bertino, Jianping Fan, Elena Ferrari, Mohand-Said Hacid, Ahmed K. Elmagarmid, Xingquan Zhu

April 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 2Full text available:  [pdf\(6.27 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Content-based video database access control is becoming very important, but it depends on the progresses of the following related research issues: (a) efficient video analysis for supporting semantic visual concept representation; (b) effective video database indexing

structure; (c) the development of suitable video database models; and (d) the development of access control models tailored to the characteristics of video data. In this paper, we propose a novel approach to support multilevel acce ...

Keyw rds: Video database models, access control, indexing schemes

44 QProber: A system for automatic classification of hidden-Web databases

Luis Gravano, Panagiotis G. Ipeirotis, Mehran Sahami

January 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 1

Full text available:  [pdf\(3.62 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The contents of many valuable Web-accessible databases are only available through search interfaces and are hence invisible to traditional Web "crawlers." Recently, commercial Web sites have started to manually organize Web-accessible databases into Yahoo!-like hierarchical classification schemes. Here we introduce QProber, a modular system that automates this classification process by using a small number of query probes, generated by document classifiers. QProber can use a variety of types of ...

Keywords: Database classification, Web databases, hidden Web

45 Probabilistic temporal databases, I: algebra

Alex Dekhtyar, Robert Ross, V. S. Subrahmanian

March 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 1

Full text available:  [pdf\(878.03 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Dyreson and Snodgrass have drawn attention to the fact that, in many temporal database applications, there is often uncertainty about the start time of events, the end time of events, and the duration of events. When the granularity of time is small (e.g., milliseconds), a statement such as "Packet p was shipped sometime during the first 5 days of January, 1998" leads to a massive amount of uncertainty ($5 \times 24 \times 60 \times 60 \times 1000$) possibilities. A ...

46 Query evaluation techniques for large databases

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Full text available:  [pdf\(9.37 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

47 Lossless Online Bayesian Bagging

Herbert K. H. Lee, Merlise A. Clyde

August 2004 **The Journal of Machine Learning Research**, Volume 5

Full text available:  pdf(154.18 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Bagging frequently improves the predictive performance of a model. An online version has recently been introduced, which attempts to gain the benefits of an online algorithm while approximating regular bagging. However, regular online bagging is an approximation to its batch counterpart and so is not lossless with respect to the bagging operation. By operating under the Bayesian paradigm, we introduce an online Bayesian version of bagging which is exactly equivalent to the batch Bayesian version ...

48 Learning Bayesian network classifiers by maximizing conditional likelihood 

Daniel Grossman, Pedro Domingos

July 2004 **Twenty-first international conference on Machine learning**

Full text available:  pdf(187.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Bayesian networks are a powerful probabilistic representation, and their use for classification has received considerable attention. However, they tend to perform poorly when learned in the standard way. This is attributable to a mismatch between the objective function used (likelihood or a function thereof) and the goal of classification (maximizing accuracy or conditional likelihood). Unfortunately, the computational cost of optimizing structure and parameters for conditional likelihood is pro ...

49 Using Bayesian networks to analyze expression data 

Nir Friedman, Michal Linial, Iftach Nachman, Dana Pe'er

April 2000 **Proceedings of the fourth annual international conference on Computational molecular biology**

Full text available:  pdf(952.91 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

DNA hybridization arrays simultaneously measure the expression level for thousands of genes. These measurements provide a "snapshot" of transcription levels within the cell. A major challenge in computational biology is to uncover, from such measurements, gene/protein interactions and key biological features of cellular systems.

In this paper, we propose a new framework for discovering interactions between genes based on multiple expression measurements. This framework buil ...

50 Industrial/government track: Clinical and financial outcomes analysis with existing hospital patient records 

R. Bharat Rao, Sathyakama Sandilya, Radu Stefan Niculescu, Colin Germond, Harsha Rao

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:  pdf(188.40 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Existing patient records are a valuable resource for automated outcomes analysis and knowledge discovery. However, key clinical data in these records is typically recorded in unstructured form as free text and images, and most structured clinical information is poorly organized. Time-consuming interpretation and analysis is required to convert these records into structured clinical data. Thus, only a tiny fraction of this resource is utilized. We present REMIND, a Bayesian Framework for Reliable ...

Keyw rds: Bayes Nets, HMMs, data mining, temporal reasoning

51 Research centers: Database research at UT Arlington 

Sharma Chakravarthy, Alp Aslandogan, Ramez Elmasri, Leonidas Fegaras, JungHwan Oh
March 2003 **ACM SIGMOD Rec rd**, Volume 32 Issue 1

Full text available:  pdf(91.35 KB)Additional Information: [full citation](#)**52 A survey on wavelet applications in data mining** 

Tao Li, Qi Li, Shenghuo Zhu, Mitsunori Ogihara

December 2002 **ACM SIGKDD Explorations Newsletter**, Volume 4 Issue 2Full text available:  pdf(330.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Recently there has been significant development in the use of wavelet methods in various data mining processes. However, there has been written no comprehensive survey available on the topic. The goal of this is paper to fill the void. First, the paper presents a high-level data-mining framework that reduces the overall process into smaller components. Then applications of wavelets for each component are reviewed. The paper concludes by discussing the impact of wavelets on data mining research and ...

53 Statistical methods I: Bayesian analysis of massive datasets via particle filters 

Greg Ridgeway, David Madigan

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(896.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Markov Chain Monte Carlo (MCMC) techniques revolutionized statistical practice in the 1990s by providing an essential toolkit for making the rigor and flexibility of Bayesian analysis computationally practical. At the same time the increasing prevalence of massive datasets and the expansion of the field of data mining has created the need to produce statistically sound methods that scale to these large problems. Except for the most trivial examples, current MCMC methods require a complete scan or ...

54 On the automation of physical database design 

Sunil Choenni, Henk M. Blanken, Thiel Chang

March 1993 **Proceedings of the 1993 ACM/SIGAPP symposium on Applied computing: states of the art and practice**Full text available:  pdf(865.40 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: Dempster-Shafer theory, generating storage schemes, modeling rules of thumb, physical database design

55 Mining lesion-deficit associations in a brain image database 

Vasileios Megalooikonomou, Christos Davatzikos, Edward H. Herskovits

August 1999 **Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(893.76 KB) Additional Information: [full citation](#), [references](#), [index terms](#)**56 Unsupervised Bayesian visualization of high-dimensional data** 

Petri Kontkanen, Jussi Lahtinen, Petri Myllymäki, Henry Tirri

August 2000 **Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(160.91 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

57 Image Retrieval: Extraction of feature subspaces for content-based retrieval using relevance feedback

Zhong Su, Stan Li, Hongjiang Zhang

October 2001 **Proceedings of the ninth ACM international conference on Multimedia**Full text available: [pdf\(3.00 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In the past few years, relevance feedback (RF) has been used as an effective solution for content-based image retrieval (CBIR). Although effective, the RF-CBIR framework does not address the issue of feature extraction for dimension reduction and noise reduction. In this paper, we propose a novel method for extracting features for the class of images represented by the positive images provided by subjective RF. Principal Component Analysis (PCA) is used to reduce both noise contained in the orig ...

Keywords: Bayesian estimation, content-based image retrieval (CBIR), principal component analysis (PCA), relevance feedback

58 New direction for uncertainty reasoning in deductive databases

U. Güntzer, W. Kießling, H. Thöne

April 1991 **ACM SIGMOD Record, Proceedings of the 1991 ACM SIGMOD international conference on Management of data**, Volume 20 Issue 2Full text available: [pdf\(923.93 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**59 Efficient reasoning**

Russell Greiner, Christian Darken, N. Iwan Santoso

March 2001 **ACM Computing Surveys (CSUR)**, Volume 33 Issue 1Full text available: [pdf\(445.41 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Many tasks require "reasoning"—i.e., deriving conclusions from a corpus of explicitly stored information—to solve their range of problems. An ideal reasoning system would produce all-and-only the correct answers to every possible query, produce answers that are as specific as possible, be expressive enough to permit any possible fact to be stored and any possible query to be asked, and be (time) efficient

Keywords: efficiency trade-offs, soundness/completeness/expressibility

60 Session 13: audio processing and retrieval: Speaker change detection and tracking in real-time news broadcasting analysis

Lie Lu, Hong-Jiang Zhang

December 2002 **Proceedings of the tenth ACM international conference on Multimedia**Full text available: [pdf\(273.64 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper addresses the problem of real time speaker change detection and speaker tracking in broadcasted news video analysis. In such a case, both speaker identities and number of speakers are assumed unknown. A two-step speaker change detection algorithm, including potential change detection and refinement, is proposed. Speaker tracking is performed based on the results of speaker change detection. A Bayesian Fusion method is used to fuse multiple audio features to get a more reliable result. ...

Keywords: audio content analysis, speaker change detection, speaker segmentation, speaker tracking

Results 41 - 60 of 200

Result page: [previous](#) [1](#) [2](#) **3** [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Help](#) [Home](#) [Quick](#) [Advanced](#) [Pat Num](#) [Order Copy](#) [PTDLS](#)

Searching ...

Results of Search in db for:

(Bayesian AND jury): 0 patents.

No patents have matched your query

[Refine Search](#)

Bayesian and jury



W b Images Groups^{New!} News Froogle m re »
 Advanced Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 11,200 for **bayesian and jury**. (0.31 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

[\[PDF\]](#) **The "Jury Observation Fallacy" and the use of Bayesian ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... similar conviction. 3. The Jury Fallacy explained using a **Bayesian Network**

Providing that readers are prepared to accept as valid: ...

www.dcs.qmul.ac.uk/researchgp/radar/jury_fallacy.pdf - [Similar pages](#)

The K-Zone: Bayesian statistics for dummies

... it was a methodologically sound approach, but that it would 'confuse the jury'. ... person was convicted, because a likelihood based on a **Bayesian** calculation if ...

www.kevinboone.com/bayes.html - 22k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) **Stochastic models have been applied by jury consultants to match ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Knowledge- based applications of fuzzy rule-based systems and **Bayesian** nets to scientific **jury** selection have not been reported to the best of our knowledge. ...

www.law.ufl.edu/icair/proposal02_juryselection.pdf - [Similar pages](#)

Effectiveness of Bayesian Instructions as a Function of Trial ...

... However, previous laboratory studies assessing the usefulness of the **Bayesian** jury instructions have been inconclusive (Smith et al., 1996). ...

old.hsu.edu/faculty/af0/2001-02/hall-wiebers.htm - 18k - [Cached](#) - [Similar pages](#)

Naive, Biased, Yet Bayesian: Can Juries Interpret Selectively ...

Naive, Biased, Yet **Bayesian**: Can Juries Interpret Selectively Produced Evidence ... subset of this evidence is then presented to a naive decisionmaker (eg, a **jury**). ...

ideas.repec.org/a/oup/jleorg/v12y1996i1p257-76.html - 11k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) **Bayesian Juries and The Limits to Deterrence**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... positive equilibrium crime rate by only assuming that jurors are rational **Bayesian** updaters ... results that are not present in models based on **jury** preferences or ...

lsr.nellco.org/cgi/viewcontent.cgi?article=1008&context=yale/lepp - [Similar pages](#)

[\[PDF\]](#) **A model of jury decisions where all jurors have the same evidence ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Key words: Condorcet **jury** theorem, **Bayesian** networks, Parental Markov condition, conditional independence, interpretation of evidence 1. Introduction ...

personal.lse.ac.uk/LIST/PDF-files/DietrichList.pdf - [Similar pages](#)

[\[PDF\]](#) **A MODEL OF JURY DECISIONS WHERE ALL JURORS HAVE THE SAME EVIDENCE**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... each other, given the state of the world x. DIAGRAM 1: **BAYESIAN TREE FOR THE CLASSICAL CONDORCET JURY MODEL** X V 1 V 2 V 3 ... V n ...

www.nuff.ox.ac.uk/economics/papers/2002/w23/CJT-DietrichList.pdf - [Similar pages](#)

Bayesian Statistics: An Introduction

... there is still some way to go before we live in a fully **Bayesian** world when ... useful tool for statisticians but it was not appropriate for use in jury trials or ...
www-users.york.ac.uk/~pml1/bayes/preface2.htm - 4k - [Cached](#) - [Similar pages](#)

[PDF] **Bayesian Juries and The Limits to Deterrence**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Making this simple assumption allows us to isolate the effect of **Bayesian** updating by the **jury** on the ability to deter crime Because ...

www.eco.utexas.edu/faculty/Wickelgren/BayesianJurorsResub.pdf - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 [10](#) [Next](#)



Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web	Images	Groups ^{New!}	News	Froogle	m r »
bayesian and jury					Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

W b

Results 11 - 20 of about 11,200 for **bayesian and jury**. (0.15 seconds)

[SSRN-Jury Understanding of DNA Evidence: An Empirical Assessment ...](#)

... fallacy, inversion fallacy, misaggregation, **Bayesian** instruction, scientific evidence, lab error rates, vividness, averaging hypothesis, **jury**, cognitive error. ...

[ssrn.com/abstract=462880](#) - 19k - [Cached](#) - [Similar pages](#)

[A Model of Jury Decisions Where All Jurors Have the Same Evidence](#)

... Sep 2002 Date of revision: Handle: RePEc:nuf:econwp:0223 Keywords: Condorcet jury theorem, conditional independence, interpretation of evidence, **Bayesian** trees. ...

[ideas.repec.org/p/nuf/econwp/0223.html](#) - 11k - [Cached](#) - [Similar pages](#)

[[More results from ideas.repec.org](#)]

[Use of Bayesian Belief Networks in legal reasoning](#)

... The jury observation fallacy and the use of **bayesian** networks to present probabilistic legal arguments. *Mathematics Today*, 36(6):180-187, 2000. ...

[www.bileta.ac.uk/02papers/huygen.html](#) - 64k - [Cached](#) - [Similar pages](#)

[QMUL > Department of Computer Science](#)

... For more technical detail about this work read the paper: Fenton NE and Neil M, "The Jury Observation Fallacy and the use of **Bayesian** Networks to present ...

[www.dcs.qmul.ac.uk/researchgp/radar/legal.html](#) - 19k - Dec 21, 2004 - [Cached](#) - [Similar pages](#)

[[More results from www.dcs.qmul.ac.uk](#)]

[\[PDF\] Introduction to Applied Bayesian Statistics and WinBUGS](#)

File Format: PDF/Adobe Acrobat

... Page 9. **Bayesian** vs Frequentist • Who's right? – Jury still divided after nearly a century. – Bayesians have moral high ground. ...

[www.stat.auckland.ac.nz/~millar/ Bayesian/PowerPoint/BayesIntro.pdf](#) - [Similar pages](#)

[Bayesian inference - Wikipedia, the free encyclopedia](#)

... In the United Kingdom, Bayes' theorem was explained by an expert witness to the jury in the case of *Regina versus ...* A **Bayesian** search methodology was adopted. ...

[en.wikipedia.org/wiki/Bayesian_inference](#) - 39k - [Cached](#) - [Similar pages](#)

[\[PDF\] Biometric Identification in Forensic Cases According to the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In this **Bayesian** framework, the roles of the scientist and the judge/jury are clearly separated, because the court wants to know the odds in favor of the ...

[fierrez.iespana.es/fierrez/_docs/2002_BIOAW_Forensic_Gonzalez.pdf](#) - [Similar pages](#)

[\[PDF\] Jury Understanding of DNA Evidence:](#)

File Format: PDF/Adobe Acrobat

... **Bayesian** norms, and (b) that the extent of the undervaluation can be reduced ... A total of 1,520 volunteers from the pool of citizens summoned for **jury** service ...

[bioforensics.com/articles/jury%20understanding.pdf](#) - [Similar pages](#)

[STAT 101: Extra Problems on Bayesian Stats](#)

Statistics 101 Data Analysis and Statistical Inference Extra Problems on **Bayesian** Stats. ... You are on a **jury** considering a paternity suit. ...

www.stat.duke.edu/~jerry/sta101/extraproblems/bayesian.htm - 6k - [Cached](#) - [Similar pages](#)

Y2K Bibliography of Experimental Economics and Social Science ...

... traders have higher expected dividend values than those of **Bayesian** traders ... Replication and Extension to Majority Rule and Grand Jury Instructions," American ...

www.people.virginia.edu/~cah2k/bayesy2k.htm - 16k - [Cached](#) - [Similar pages](#)

◀ Gooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web	Images	Groups	New!	News	Froogle	m_re »
bayesian and jury						Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

W b

Results 21 - 30 of about 11,200 for bay sian and jury. (0.10 seconds)

Vol. 4, No. 2, August 1992

... sensitivity and specificity of the test is, and how **Bayesian** analysis comes ... Louis jury awarded \$30,000,000 actual damages plus \$60,000,000 punitive damages to ...
www.sjblaw.com/news/page4_v4n3.html - 10k - [Cached](#) - [Similar pages](#)

evidence course, syllabus

... logical sense, this is a normative model; that is, the **Bayesian** equation describes ...
 1) the probability that the evidence would be presented to the jury if the ...
tillers.net/ev-course/materials/lempert.html - 16k - [Cached](#) - [Similar pages](#)

Page de résumé pour/Title page for BelnUcetd-05012003-113316

... Titre, Spatial prediction of soil properties: the **Bayesian** Maximum Entropy approach./
 Prédiction spatiale de propriétés pédologiques : l'approche du ... Jury, ...
edoc.bib.ucl.ac.be:81/ETD-db/collection/available/BelnUcetd-05012003-113316/ - 16k - [Cached](#) - [Similar pages](#)

[PDF] Why Should We Even Teach Statistics? A Bayesian Perspective

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... where we have the choice between the classical, frequentist approach and the **Bayesian** approach. ... A case before a judge and a jury is not so much about what is ...
garnet.acns.fsu.edu/~jelsner/Courses/Iversen2000.pdf - [Similar pages](#)

[PDF] Probability and Law: A Bayesian Approach

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Page 1. Probability and Law: A **Bayesian** Approach Eiki ... defense. The ratio represents the new subjective view of the jury and is given by n ...
www.stat.fi/isi99/proceedings/arkisto/varasto/sata0579.pdf - [Similar pages](#)

JLEO -- Abstracts: Froeb and Kobayashi 12 (1): 257

... Naive, biased, yet **Bayesian**: can juries interpret selectively produced evidence? ... of this evidence is then presented to a naive decision-maker (eg, a jury). ...
www.oup.co.uk/jnls/list/jleorg/hdb/Volume_12/Issue_01/120257.sgm.abs.html - [Similar pages](#)

BAYES' THEOREM IN THE COURT OF APPEAL

... But whenever a Judge instructs a jury in how to consider evidence or an ... be consistent with logic and reason, the formal expression of which is **bayesian** formulae ...
www.mcs.vuw.ac.nz/~vignaux/docs/Adams_NLJ.html - 21k - [Cached](#) - [Similar pages](#)

Luc Bovens's Home Page

... First, I develop a **Bayesian** approach to what we are justified to believe when our ... In particular, I am working on the Condorcet Jury Theorem, on the impact of ...
www.bovens.org/ - 26k - [Cached](#) - [Similar pages](#)

Errors in Hypothesis Testing

... the likelihood that evidence will be sufficient to convince a jury of guilt ... approach to hypothesis testing, and ones that are called **Bayesian**, because they ...
www.olemiss.edu/courses/psy501/Lectures/Lecture6/Lecture6.htm - 101k - [Cached](#) - [Similar pages](#)

DSpace at the University of Rochester: Item 1802/1038

... Title: A Bayesian Model of Voting in Juries. ... Third, we prove a "jury theorem" for the continuous signal model: as the size of the jury increases, the ...
<https://dspace.lib.rochester.edu/handle/1802/1038> - 8k - [Cached](#) - [Similar pages](#)

◀ Gooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google